REFERENCES

Andrew K (2003), Increase in Binge Drinking, The Irish Examiner, 17th April 2003.

Anonymous (2003), A Letter, Amen Publications, Navan.

Armstrong J (1999), Men's Health, The Common Sense Approach, Newleaf Publications, Dublin.

Aware, (1998), Suicide in Ireland, Aware Publications.

Balanda K, **Wilde J**, (2001), *Inequalities in Mortality: A Report on All-Ireland Mortality Data*, The Institute of Public Health in Ireland, 6 Kildare Street, Dublin.

Banks I, (2001), No man's land: men, illness and the NHS, BMJ; 323: 1058-60

Barry J, Sinclair H, Kelly A, O'Loughlin, Handy D, O'Dowd T, (2001), Inequalities in Health in Ireland - Hard Facts, Department of Community Health and General Practice, Trinity College, Dublin.

Bradley F, (1998), *Violence in the Home*, in **O'Dowd T** and **Jewell D**, (eds), Men's Health Oxford, Oxford Medical Publications 1998.

Brady N, (2000), Young Men and Positive Mental Health, Project Report, Mental Health Association of Ireland.

Brazil E, **Sheehan J**, (2001), *Pilot Study of Alcohol Related Attendance at Accident and Emergency Departments*, Mater Hospital, Dublin.

Brooks G, (2001), Masculinity and Men's Mental Health, Journal of American College Health, V49(6).

Bulla A, (2003), Hidden Menace in Improving our Defences Against the Hidden Cancer Killing Men, The Sunday Times, 20th April, 2003.

Cahill E, (2002), The Irish Independent, Features, 7th February.

Canettos SS, (1995), *Men Who Survive a Suicidal Act*, in **Sabo D**, and **Gordon D**, (eds), Men's Health and Illness: Gender, Power and the Body, 46-67 Thousand Oaks, CA: Sage Publishing.

Carroll D, Foley B, Hickson F, O'Connor J, Quinlan M, Sheehan B, Watters R, Weatherburn P, (2002), Vital Statistics Ireland, Findings from the All-Ireland Gay Men's Sex Survey.

Central Statistics Office (2000a), Statistical Yearbook of Ireland: 2002, Information Section, Cork.

Central Statistics Office, (2002b), *Ireland North and South: A Statistical Profile*: 2002, Information Section, Cork.

Chino AF, **Funabiki D**, (1984), A Cross-validation of Sex Differences in the Expression of Depression, Sex Roles 11: 175-187.

Connell RW, (2000), The Men and The Boys, University of California Press, Berkeley, Los Angeles.

Courtenay W, (2000), Constructions of Masculinity and Their Influence on Men's Well-being, Social Science Medicine, 50(10): 1385-1401.

Courtenay WH, (1998), *College Men's Health: An Overview and A Call to Action*, Journal of American College Health, May 46(6): 279-90.

Cusack J, (2002), Murder toll hits a shocking new high, Sunday Independent, 1st December, 2002.

Daly A and Walsh D, (1999), Irish Psychiatric Services: Activities 1999, Health Research Board, Dublin.

Davies J, McCrae BP, Frank J, Dochnald A, Pickering T, Harrison B, Zakrzewski M, Wilson K, (2000), Identifying Male College Student's Perceived Health Needs, Barriers to Seeking Help and Recommendations to Help Men Adopt Healthier Lifestyles, Journal of American College Health, May 48(6): 259-67.

Denyer S, (1998), *It's Dangerous to be a Man! The Health of Men in the North West*, Presentation given at Men's Health Conference in Bundoran, Donegal.

Department of Health and Children, (1997), A plan for women's health 1997-99, Dublin, Stationery Office.

Department of Health and Children, (1998a), *Vital Statistics, Fourth quarterly and yearly summary 1997*, Stationery Office, Dublin.

Department of Health and Children, (1998b), *Interim Report of the National Task Force on Suicide*, Dublin, Stationery Office.

Department of Health and Children, (1999), Health Statistics 1999, Dublin, Stationery Office.

Department of Health and Children, (2000), National Aids Strategy Committee, Dublin, Stationery Office.

Department of Health and Children, (2001), *Quality and Fairness; A Health System for You*, Dublin, Stationery Office.

Department of Health, Social Services and Public Safety, (2001), Northern Ireland Health and Social Well-being Survey.

Department of Health, Social Services and Public Safety, (2002), Statistics from the Northern Ireland Drug Misuse Database: 1 April 2001 - 31 March 2002, Northern Ireland Statistics and Research Agency.

Department of Health, Social Services and Public Safety, (2003), *Public Health, Health into the Next Millennium: Some Facts and Figures*.

Dirckze S, (2000), How to Persuade Men to Visit the Surgery, Practical Nurse.

Domegan L, **Jackson S**, **Cronin M**, (2003), *Quarterly Report on Sexually Transmitted Infections Quarter 2 2001*, The National Disease Surveillance Centre, Dublin.

Doyal L, (2001), Sex, Gender and Health: The need for a new approach, British Medical Journal, 323: 1061-1063.

European HIV and AIDS Statistics, (2001), www.avert.org/eurostat.htm

European Monitoring Centre for Drugs and Drug Addiction, (2001), Annual report on the state of the drugs problem in the European Union.

Eurostat, (2000), Key Data on Health. www.eudatashop.de/veroeffe/EN/thema3/eckz_00.htm.

Fahey T, and **Murray P**, (1994), Health and Autonomy among the over 65's in Ireland, National Council for the Elderly, Dublin.

Foster T, Gillespie K, McClelland R, (1997), Mental Disorders of Suicide in Northern Ireland, British Journal of Psychiatry, 170, 447-452.

Garda Siochana, (1999), Annual Report 1999, Dublin, Stationery Office.

Garda Siochana, (2001), Year 2001 Crime Statistics, Dublin, Stationery Office www.gov.ie/garda

Gay Health Action (GHA), (1989), Major Swing to Safer Sex, AIDS Action News, August 1989.

Gay Men's Health Project (GMHP), (1992), Eastern Health Board, in **Carroll D**, et al. (2002), Vital Statistics Ireland: Findings from the All-Ireland Gay Men's Sex Survey, Ireland.

Griffiths S, (1996), Men's Health, British Medical Journal, 312: 69-70.

Health Research Board, (1998), National Drug Treatment Reporting System: Statistical Bulletin, National Data 1997 and 1998, Drug Misuse Research Division.

Health Research Board, (2001a), Summary of Findings of Irish Psychiatric Hospitals and Units Census 2001, Mental Health Research, www.hrb.ie

Health Research Board, (2001b), *Irish Psychiatric Hospitals and Units Census: Press Release*, Mental Health Research, www.hrb.ie

Health Research Board, (2003), *Psychiatric Reporting System Bulletin*, Mid-Western Health Board (MWHB), www.hrb.ie

Hong L, (2002), Toward a transformed approach to prevention: Breaking the link between Masculinity and Violence, Journal of American College Health, May 269-85.

Hughes H, (1996), Preventing suicide among isolated farmer's, Community Nurse, July 1996.

Hughes H, **Keady J**, (1996), *The Strategy for Action on Farmer's Emotions (SAFE)*, Journal of Psychiatric and Mental Health Nursing, 21-28.

Humphreys J, (2002), Pessimism in Fight to Combat Car Crimes, The Irish News, April 16th, 2002.

Irish Medical Journal, (2001), NDSC Figures show increase in HIV infection, Nov/Dec 2001, Vol. 94, No.10.

Jewell D, O'Dowd T, (Eds), (1998), Men's Health, Oxford General Practice Series, Oxford University Press.

Keane C, (2003a), Fewer people smoking than four years ago, The Irish Examiner, 17th April, 2003.

Keane C, (2003b), One in Ten Children Smoking Cannabis, The Irish Examiner, 17th April, 2003.

Kelleher C, **Friel S**, **Nic Gabhainn S**, (1999), *The National Health and Lifestyle Surveys*, Centre for Health Promotion Studies, Galway.

Kelleher C, Friel S, Nic Gabhainn S, Corrigan H, Nolan G, Sixsmith J, Walsh O, Cooke M, (2003), *The National Health & Lifestyle Surveys*, Centre for Health Promotion Studies, Galway.

Kelleher M, Daly M, (1990), Suicide in Cork and Ireland, British Journal of Psychiatry, 157: 533-538.

Kelleher MJ, (1998), *Youth Suicide Trends in the Republic of Ireland* (Editorial), British Journal of Psychiatry, 173, 196-197.

Kelleher MJ, **Keeley H**, **McAuliffe C**, (1998), *Suicide in Adolescents*, Modern Medicine of Ireland, 28 (1), 27-36.

Kelleher MJ, **Keohane B**, **Corcoran P**, **Keeley HS**, and **Neilson S**, (2000), *An Investigation of 100 Cork Suicides*, Irish Journal of Psychological Medicine, (17, (3))

Kievits M, (1998), in Men's Health Conference Report, Bundoran 1st and 2nd October, 1998.

Kraemer S, (2000), The Fragile Male, British Medical Journal, 321: 1609-1612.

Lemle and Mishkind, (1989), in **Brooks G**, (2001), Masculinity and Men's Mental Health, Journal of American College Health, 49 (6).

Lockhart (2003), retrieved April 2003 on the World Wide Web, www.justice.ie

McCluskey D, (1997), Conceptions of Health and Illness in Ireland, in Cleary A, Treacy P, (Eds), Sociology of Health and Illness in Ireland, University College Dublin Press, Dublin.

McDonald J, (2003), We're Sick from Sex, Sunday World, 2003.

McDowell M, (2003), Waiting in vain for the Healer, The Sunday Tribune, 20th April, 2003.

McKeown K, (2002), Domestic Violence is not a Women's Issue or a Men's Issue, but a Relationship Issue, Irish Times, February 8th, 2002.

McKeown K, and **Fitzgerald G**, (1999), *Treating Drug Addiction: An Evaluation of Addiction Response*, Crumlin, Dublin, Addiction Response, Crumlin.

McWhirter L, (2002), Health and Social Care in Northern Ireland: A Statistical Profile, 2002 Edition, Information and Analysis Unit, Department of Health, Social Services and Public Safety, Castle Buildings, Belfast.

Mant D, Silagy C, (1998), The Epidemiology of Men's Health in Jewell D, O'Dowd T, (Eds.), (1998), Men's Health, Oxford General Practice Series, Oxford University Press.

Martin C, Platt S, Hunt S, (1987), Housing Conditions and Ill-Health, British Medical Journal, 294: 1125-1127.

Merchants Quay Ireland, Drug Use in Dublin: Definitions and Statistics, www.mqi.ie

Murphy-Lawless J, (2003), Establishing the Rationales for Gender-Specific Strategies to Improve Women's Health: The Evidence from Research, Department of Social Policy and Social Work, Dublin.

National AIDS Strategy Committee, Department of Health and Children (2000), Stationery Office, Dublin.

National Cancer Registry Board, (2001), Cancer in Ireland, 1994-1998: Incidence, Mortality, Treatment and Survival, Report of the National Cancer Registry, Cork. www.ncri.ie

National Disease Surveillance Centre, (2002a), HIV and AIDS in Ireland; Quarter 1 and Quarter 2. www.ndsc.ie.

National Disease Surveillance Centre, (2002b), Sexually Transmitted Infections, www.ndsc.ie.

National Roads Authority, (2002), Road Accident Facts Ireland 2001, Drivers and Vehicles; Section 4.

National Safety Council, (2002), Information on Alcohol Related Road Fatalities/Injuries, National Safety Council, Dublin.

National Suicide Review Group Report, (2001), www.nsrg.ie/research3.shtml

Northern Ireland Cancer Registry, www.allirelandnci.org.

Northern Ireland Statistics and Research Agency, (2001), *Northern Ireland Annual Abstract of Statistics* 2002, A National Statistics Publication.

O'Donnell I, (2003), Homicide level makes Dublin a more deadly city than London, The Irish Times, 1st and 2nd January, 2003.

O'Dowd T, Jewell D, (1998), (eds), Mens Health, Oxford University Press.

O'Dowd T, Kirk D, Corkery J, O'Nuallain C, Smethurst J, (2002), Men's Health: Impact of Prostate-related Problems on Men in Work and Society, Department of Community Health and General Practice, Trinity College Dublin.

O'Keeffe F, (2000), A Study of the Health Related Attitudes and Behavioural Patterns of Middle Aged Men in a GP Unit in an Urban Area of Dublin, M.Sc. in Community Health, Trinity College, Dublin.

O'Neill MK, **Lancee WJ**, **Freeman JJ**, (1985), Sex Differences in Depressed University Students, Social Psychiatry 20:186-190.

O'Reilly D, **Browne S**, (2001), Health and Health Service Use in Northern Ireland, Social Variations, Department of Health, Social Services and Public Safety, Belfast.

O'Reilly D, **Gaffney B**, (2001), Inequalities in Health: Northern Ireland, in Northern Ireland General Consumer Council in Poor Health, Belfast.

O'Shea O, (1997), *Male Mortality Differentials by Socio-economic Group in Ireland*, Social Science in Medicine, 45(6), 803-809.

Page A, Morrell S, Taylor R, (2002), Suicide Differentials in Australian Males and Females by three areabased measures of SES, Australian and New Zealand Journal of Public Health, Vol. 26, (4) 318(5).

Phillipson C, (1995), *The Sociology of Retirement*, in **Bond J**, et al. (eds), Ageing in Society: An introduction to Social Gerontology, Sage Publishing, London.

Prior M, Hayes B, (2001), Gender Trends in Occupancy Rates in Mental Health Beds in Northern Ireland, Social Science and Medicine, Vol. 52, (4) 537-545.

Quality and Fairness: A Health System for You, (2001), *Health Strategy*, Department of Health and Children, Stationery Office, Dublin.

Quinlan M, **Wyse D**, **Poweroy L**, **Barry J**, (1992), *Study of the sexual and HIV risk behaviour of gay and bisexual men: Unpublished Data*, Dublin, Eastern Regional Health Board, Gay Men's Health Project.

Ramey E, (1997), How Female and Male Biology Differ, in **Haseltine F**, et al. (eds), Women's Health Research: A Medical and Policy Primer, Health Press International, Washington, D.C.

Ramstedt M, **Hope A**, (2003) *The Irish Drinking Culture - Drinking and drinking related harm*, a European comparison Health Promotion Unit, Dublin.

Reed WL, (1991), Trends in Homicide among African Americans, Trotter Institute Review: 5: 11-16.

Report on Men's Health Conference, (1998), Bundoran, 1st-2nd October 1998.

Richardson N, (2003a), *Masculinities*, Health Promotion Department, South Eastern Health Board, Unpublished Paper.

Richardson N, (2003b), *What is Men's Health?*, Health Promotion Department, South Eastern Health Board, Unpublished Paper.

Richardson N, (2003c), *Men's Health*, Health Promotion Department, South Eastern Health Board, Unpublished Paper.

Richardson N, (2003d), *Men's Health*, Health Promotion Department, Qualitative Study, South Eastern Health Board, Unpublished Paper.

Rosenfield S, (1989), The Effects of Women's Employments: Personal Control and Sex Differences in Mental Health, Journal of Health and Social Behaviour, 30: 77-91.

Rossow I, Pernanen K, Rehm J, (2001), Accidents, Suicide and Violence, in Klingemann and Gmel (eds), Mapping the Social Consequences of Alcohol Consumption, Kluwer Academic Publishers, The Netherlands.

Roter DL, and **Hall JA**, (1997), Doctors Talking with Patients/Patients Talking with Doctors: Improving Communication in Medical Visits, Westport, CT: Auburn House.

Sabo D, (1999), *Understanding Men's Health: A Relational and Gender Sensitive Approach*, retrieved from the World Wide Web on the 10th October, 2002, www.hsph.harvard.edu

Scallan E, Staines A, Fitz P, Laffoy M, Kelly A, (2001), *Injury in Ireland*, Department of Public Health, Medicine and Epidemiology, University College, Dublin.

Senior M, and Viveash B, (1998), Health and Illness, London: Macmillan.

Sheridan M, (2002a), Fear of Cancer is worse than the Disease, Sunday Independent, 13th October, 2002.

Sheridan K, (2002b), Punch Drunk, The Irish Times Weekend Review, 6th April 2002.

Smail S, Rollnick S, (1998), Men and Alcohol in **Jewell D**, **O'Dowd T**, (eds) (1998), Men's Health, Oxford General Practice Series, Oxford University Press.

Smith J, (2003), *Improving our defences against the hidden cancer killing men*, The Sunday Times, 20th April, 2003.

Stakelum A, **Boland J**, (2001), Men Talking: A Qualitative Study on Men's Health Beliefs and Attitudes in the North Eastern Health Board, NEHB.

Staples R, (1995), Health Among African American Males, in **Sabo D** and **Gordon D**, (eds), Men's Health and Illness: Gender, Power and the Body, 121-139, Thousand Oaks, CA: Sage Publishing.

Stillion J, (1995), *Premature Death Among Males*, in **Sabo D** and **Gordon D**, (eds), *Men's Health and Illness: Gender, Power and the Body*, 46-67, Thousand Oaks, CA: Sage Publishing.

Strategic Task Force on Alcohol: Interim Report, (2002), Department of Health and Children, Dublin, Stationery Office.

Suicide in the UK and Ireland, (1996), www.alb2c3.com/suilodge/figuk1.htm

Swanwick GRJ, Clare AW, (1997), Suicide in Ireland 1945-1992: Social Correlates, Irish Medical Journal 90(3), 106-108.

The Institute of Public Health in Ireland, (2001), Inequalities in Mortality 1989-1998: A Report on All-Ireland Mortality Data, www.iph.ie

The Lancet, (2001), Time for Creative Thinking about Men's Health, 357: 9271

The Male Link, (2000), Men's Attitudes and Values Research, Belfast Northern Ireland.

Townsend P, Phillimore P, Beattie A, (1988), Health and Deprivation: Inequality and the North, Croom Helm, Kent.

Unlinked Anonymous Surveys Steering Group, (2000), *Prevalence of HIV and Hepatitis infections in the United Kingdom 1999*, Department of Health, Public Health Laboratory Service, Institute of Child Health (London), Scottish Centre for Infection and Environmental Health, London.

Waldron I, (1985), What do we know about causes of sex differences in mortality?, A Review of Literature in Population Bulletin of the U.N., 18: 59-76.

Walsh P, Comber H, Gavin A, (2001), All Ireland Cancer Statistics 1994-1996: A Joint Report on Incidence and Mortality on the Island of Ireland, National Cancer Registry (Ireland) Cork and Northern Ireland Cancer Registry, Belfast.

Warren LW, (1983), Male Intolerance of Depression: A Review with Implications for Psychotherapy, Clinical Psychology Review, 3: 147-156.

Western Health Board (2000), Us Men, Our Health: Men's Health Strategy - Western Health Board, Galway.

GLOSSARY OF TERMS

Directly Standardised Mortality Rate:

In order to compare the mortality experiences of two populations (the Republic of Ireland (RoI) and Northern Ireland (NI)), directly standardised mortality rate ratios are frequently used. These are ratios of directly standardised rates, expressed as a percentage, where the denominator serves the base for comparison. 1994 population estimates corresponding to the mid-point of the study period (1989-1998) were taken as denominators for mortality rates (Balanda and Wilde 2001).

Standardised Death Rate:

Comparison of the general (total) mortality rates in Member States of the EU is affected by the differences of age structure of the populations. In a relatively 'old population' there will be more deaths than in a 'young population' because mortality is higher in higher age groups. For comparisons the age effect can be offset by the use of a standard reference population. The standardised death rate is thus an adjusted crude rate that enables comparisons to be made between countries and between two sexes. However one should not recalculate absolute numbers from the given standardised death rates. The standard reference population is the 'standard European population', i.e. structured by age in the 'region of Europe' as defined by the World Health Organisation (Eurostat 2000).